



R 4000 – the multi-talented shelving system



The versatility of the R 4000 modular shelving system makes it particularly suitable for individual storeroom layouts, since it can be extended to maximise the available space. The strong high-grade steel construction with securely located base and top shelves and full-height uprights offer simple assembly and ease of handling.

With shelving adjustable in increments of 53 mm, the system is particularly suitable for storing small and medium sized items.

The R 4000 shelving system can easily be reconfigured to create countless variations and can also be converted to a multi-tier installation with mezzanines.

The modular shelving systems including mezzanine platforms have been given the test certificate to display the “GS” sign according to the guidelines for storage facilities and devices BGR 234 (formerly ZH 1/428).



The bolt-free system

The R 4000 modular shelving system is an extendible, bolt-free design available in bay widths of 995 and 1283 mm.

The shelving bays consist of base and top shelves with full-height uprights. All parts are simply locked together.

As the R 4000 consists of very few components, the system can be quickly and easily erected.

The extensive range of accessories is suitable for both the starter and extension bays.

With its sturdy steel construction, countless easily re-configurable variations and simple assembly, the R 4000 will more than meet your requirements.


The R 4000 shelving rows must all begin with a starter bay. Every shelving row must have a starter bay, to which extension bays can be added to the right or left.

Each additional extension bay is then attached to the adjacent bay using the same principle. All starter and top shelves are clipped together.

In order to stabilise the shelving longitudinally, a cross brace must be fitted to the first and every third bay thereafter.

- ▶ **Bolt-free system**
- ▶ **Rapid assembly**
- ▶ **Upright profile**
with 53 mm lug spacing
- ▶ **Extension system**
bay lengths 995 and 1283 mm, shelving depths 300, 400, 500, 600, 800 and 1000 mm
- ▶ **Various configurations**
with extensive range of accessories including shelves, panels, drawers and doors
- ▶ **Euro size modules**
- ▶ **Sturdy construction**
- ▶ **Multi-tier installations**

Multi-tier installations with mezzanines are easy to create using the R 4000 system. We can design one to suit your specific requirements.




Single-face starter bay:

One base shelf, four uprights and one top shelf.




Single-face extension bay:

One extension base shelf, two uprights and one extension top shelf.




Single-face starter bay



Single-face extension bay


Single-face extension bay

The range of accessories




Double-face starter bay:

One base shelf, four base uprights, two centre uprights and one top shelf.




Double-face extension bay:

One extension base shelf, two starter uprights, one center upright and one extension top shelf.







Single-face shelving in bay widths 995 and 1283 mm



► Lug spacing

the lug spacing of the uprights enables the R 4000 to be flexibly configured using an extensive range of accessories. The shelves can be inserted by engaging in the lugs as required (lug pitch 53 mm)



With SSI SCHAEFER shelves, the end section is firmly located against the upright post. In conjunction with additional spot welding, this makes the shelves particularly strong and resistant to twisting, thus ensuring additional stability.

Starter bay

Shelf width 1055 mm, bay width 995 mm.

Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 4302 G	2171	300	200	26800
GR 4402 G	2171	400	200	26820
GR 4502 G	2171	500	200	26840
GR 4504 G	2171	500	400	26860
GR 4602 G	2171	600	200	26880
GR 4804 G	2171	800	400	26160
GR 4322 G	2500	300	200	26805
GR 4422 G	2500	400	200	26825
GR 4522 G	2500	500	200	26845
GR 4524 G	2500	500	400	26865
GR 4622 G	2500	600	200	26885
GR 4824 G	2500	800	400	26165

Starter bay

Shelf width 1343 mm, bay width 1283 mm.

Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 9401 G	2171	400	150	38000
GR 9501 G	2171	500	150	38020
GR 9502 G	2171	500	250	38040
GR 9601 G	2171	600	150	38060
GR 9602 G	2171	600	250	38080
GR 9421 G	2500	400	150	38005
GR 9521 G	2500	500	150	38025
GR 9522 G	2500	500	250	38045
GR 9621 G	2500	600	150	38065
GR 9622 G	2500	600	250	38085

Extension bay

Shelf width 1025 mm, bay width 995 mm.


Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 4302 A	2171	300	200	26810
GR 4402 A	2171	400	200	26830
GR 4502 A	2171	500	200	26850
GR 4504 A	2171	500	400	26870
GR 4602 A	2171	600	200	26890
GR 4804 A	2171	800	400	26170
GR 4322 A	2500	300	200	26815
GR 4422 A	2500	400	200	26835
GR 4522 A	2500	500	200	26855
GR 4524 A	2500	500	400	26875
GR 4622 A	2500	600	200	26895
GR 4824 A	2500	800	400	26175

Extension bay

Shelf width 1313 mm, bay width 1283 mm.

Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 9401 A	2171	400	150	38010
GR 9501 A	2171	500	150	38030
GR 9502 A	2171	500	250	38050
GR 9601 A	2171	600	150	38070
GR 9602 A	2171	600	250	38090
GR 9421 A	2500	400	150	38015
GR 9521 A	2500	500	150	38035
GR 9522 A	2500	500	250	38055
GR 9621 A	2500	600	150	38075
GR 9622 A	2500	600	250	38095

Double-face shelving in bay widths 995 and 1283 mm



i Other heights available for R 4000 modular shelving
on request

Starter bay

Shelf width 1055 mm, bay width 995 mm.

Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 4604 GD	2171	600	400	26900
GR 4804 GD	2171	800	400	26920
GR 4104 GD	2171	1000	400	26940
GR 4624 GD	2500	600	400	26905
GR 4824 GD	2500	800	400	26925
GR 4124 GD	2500	1000	400	26945

Starter bay

Shelf width 1343 mm, bay width 1283 mm.

Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 9803 GD	2171	800	300	39160
GR 9823 GD	2500	800	300	39165

Extension bay

Shelf width 1025 mm, bay width 995 mm.

Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 4604 AD	2171	600	400	26910
GR 4804 AD	2171	800	400	26930
GR 4104 AD	2171	1000	400	26950
GR 4624 AD	2500	600	400	26915
GR 4824 AD	2500	800	400	26935
GR 4124 AD	2500	1000	400	26955

Extension bay


Shelf width 1313 mm, bay width 1283 mm.

Item	Height (mm)	Shelf depth (mm)	Base load capacity, max. (kg)	Order no.
GR 9803 AD	2171	800	300	39170
GR 9823 AD	2500	800	300	39175

Cross braces


A cross brace must be secured to the back of the first and every third bay thereafter to stabilise the shelving. Cross braces are fitted to the middle of double units.

Item	Height (mm)	Bay length (mm)	Order no.
KVG 4002	2171	995	26620
KVG 9002	2171	1283	26640
KVG 4025	2500	995	26630
KVG 9025	2500	1283	26650




Back view of cross bracing

Shelves




i Shelves for 1283 mm x 300 mm,
max. load 80 kg

ZB 1301308 I/ZB 1301308 v Page **B5**




i Shelf containers for
modular shelving

from page **A20**



Shelves

Sheet steel, either painted silver or galvanised, 30 mm thick.
To divide the shelving bays into varying heights. Equipped with
rows of slots to accommodate dividers, slot spacing 41 mm.
With double units shelves on each side can be located at
different heights. For a continuous shelf area of double units
600, 800 and 1000 mm deep, each unit requires two base
shelves



Single-edge shelf with 6-compartment longitudinal section = N-type Double-edge shelf with 10-compartment longitudinal section = V-type

Base shelves for bay width 995 mm, thickness 30 mm

Sheet steel, painted silver or galvanised.

Item	Shelf depth (mm)	Base load max. (kg)	Edge design	Finish	Order no.
ZB 4313 V	300	100	N	Galvanised	27002
ZB 4313 L	300	100	N	Painted finish	27000
ZB 4413 V	400	100	N	Galvanised	27012
ZB 4413 L	400	100	N	Painted finish	27010
ZB 4423 V	400	200	V	Galvanised	27022
ZB 4423 L	400	200	V	Painted finish	27020
ZB 4513 V	500	100	N	Galvanised	27032
ZB 4513 L	500	100	N	Painted finish	27030
ZB 4523 V	500	200	V	Galvanised	27042
ZB 4523 L	500	200	V	Painted finish	27040
ZB 4533 V	500	300	V	Galvanised	27052
ZB 4533 L	500	300	V	Painted finish	27050
ZB 4543 V	500	400	V	Galvanised	27062
ZB 4543 L	500	400	V	Painted finish	27060
ZB 4613 V	600	100	N	Galvanised	27072
ZB 4613 L	600	100	N	Painted finish	27070
ZB 4623 V	600	200	V	Galvanised	27082
ZB 4623 L	600	200	V	Painted finish	27080
ZB 4633 V	600	300	V	Galvanised	27092
ZB 4633 L	600	300	V	Painted finish	27090
ZB 4643 V	600	400	V	Galvanised	27102
ZB 4643 L	600	400	V	Painted finish	27100
ZB 4823 V	800	200	V	Galvanised	27172
ZB 4823 L	800	200	V	Painted finish	27170
ZB 4843 V	800	400	V	Galvanised	27192
ZB 4843 L	800	400	V	Painted finish	27190

Base shelves for bay width 1283 mm, thickness 30 mm

Sheet steel, painted silver or galvanised.


ZB 9415 V	400	150	V	Galvanised	38102
ZB 9415 L	400	150	V	Painted finish	38100
ZB 9515 V	500	150	V	Galvanised	38112
ZB 9515 L	500	150	V	Painted finish	38110
ZB 9525 V	500	250	V	Galvanised	38122
ZB 9525 L	500	250	V	Painted finish	38120
ZB 9615 V	600	150	V	Galvanised	38132
ZB 9615 L	600	150	V	Painted finish	38130
ZB 9625 V	600	250	V	Galvanised	38142
ZB 9625 L	600	250	V	Painted finish	38140
ZB 9825 V	800	250	V	Galvanised	38282
ZB 9825 L	800	250	V	Painted finish	38280

Accessories – system components

Full-height dividers for 30 mm shelves

Galvanised sheet steel.

Item	For shelf depth (mm)	Divider height (mm)	Order no.
TR 4340	300	341	27200
TR 4440	400	341	27210
TR 4450		500	27240
TR 4540	500	341	27220
TR 4550		500	27250
TR 4640	600	341	27230
TR 4650		500	27260



Freestanding dividers for 30 mm shelving

Galvanised sheet steel. The dividers are inserted into the slots in the shelves and may be used in conjunction with bin fronts, independently of the shelf opening height.

For intermediate shelves

Item	For shelf depth (mm)	Divider height (mm)	Finish with	Order no.
TRF-K 4310	300	100	Plastic connectors	27300
TRF-K 4317		175	Plastic connectors	27340
TRF-K 4410	400	100	Plastic connectors	27310
TRF-K 4417		175	Plastic connectors	27350
TRF-D 4427		275	Wire connectors	27380
TRF-K 4510	500	100	Plastic connectors	27320
TRF-K 4517		175	Plastic connectors	27360
TRF-D 4527		275	Wire connectors	27390
TRF-K 4610	600	100	Plastic connectors	27330
TRF-K 4617		175	Plastic connectors	27370
TRF-D 4627		275	Wire connectors	27400
TRF-D 4810	800	100	Wire connectors	39650
TRF-D 4817		175	Wire connectors	39660

For base and top shelves

Item	For shelf depth (mm)	Divider height (mm)	Finish with	Order no.
TRF-K 4310 G	300	100	Plastic connectors	27301
TRF-K 4317 G		175	Plastic connectors	27341
TRF-K 4410 G	400	100	Plastic connectors	27311
TRF-K 4417 G		175	Plastic connectors	27351
TRF-D 4427 G		275	Wire connectors	27381
TRF-K 4510 G	500	100	Plastic connectors	27321
TRF-K 4517 G		175	Plastic connectors	27361
TRF-D 4527 G		275	Wire connectors	27391
TRF-K 4610 G	600	100	Plastic connectors	27331
TRF-K 4617 G		175	Plastic connectors	27371
TRF-D 4627 G		275	Wire connectors	27401
TRF-D 4810 G	800	100	Wire connectors	39651
TRF-D 4817 G		175	Wire connectors	39661


Division heights using intermediate shelves for bay height 2171 mm

2171	2091	2	1031	3	607	4	501	5	395	6	236	7	182	8	236	10	182	13	182
		30		2	712	3	500	4	394	5	341	6	288	7	235	9	182	12	129
						2	500	3	394	4	341	5	288	6	235	8	182	11	129
		1	1030	1	712	1	500	2	394	3	341	4	288	5	235	7	182	10	129
								1	394	2	341	3	288	4	235	6	182	9	129
										1	341	2	288	3	235	5	182	8	129
												1	288	2	235	4	182	7	129
														1	235	3	182	6	129
																2	182	5	129
																1	182	4	129

Division heights using intermediate shelves for bay height 2500 mm

2500 2420	40	300 400 500 600	2	1201	5	300	6	300	7	194	8	194	9	300	11	300	15	194
					4	500	5	394	6	341	7	288	8	235	10	182	14	129
					3	500	4	394	5	341	6	288	7	235	9	182	13	129
					2	500	3	394	4	341	5	288	6	235	8	182	12	129
					1	500	2	394	3	341	4	288	5	235	7	182	11	129
																	10	129
																	9	129
																	8	129
																	7	129
																	6	129
												5	182	4	182	6	129	
												4	235	3	182	5	129	
												3	235	2	182	4	129	
												2	235	1	182	3	129	
												1	235			2	129	
														1	182	1	182	

Shelving components and accessories



Solid steel side panels

Galvanised sheet steel. Also available painted for starter and end bays. Side panels are clipped between the corner uprights, or between the corner and centre uprights in the case of double units, and then locked into the four recesses provided on each side.


Two matching pairs of side panels are required for double units 600, 800 or 1000 mm deep.

For height 2171 mm

Item	Shelf depth (mm)	Finish	Order no.
SW 4310 V	300	Galvanised	26461
SW 4310 L	300	Painted finish	26460
SW 4410 V	400	Galvanised	26471
SW 4410 L	400	Painted finish	26470
SW 4510 V	500	Galvanised	26481
SW 4510 L	500	Painted finish	26480
SW 4610 V	600	Galvanised	26491
SW 4610 L	600	Painted finish	26490
SW 4810 V	800	Galvanised	27591
SW 4810 L	800	Painted finish	27590

For height 2500 mm

SW 4312 V	300	Galvanised	26465
SW 4312 L	300	Painted finish	26462
SW 4412 V	400	Galvanised	26475
SW 4412 L	400	Painted finish	26472
SW 4512 V	500	Galvanised	26485
SW 4512 L	500	Painted finish	26482
SW 4612 V	600	Galvanised	26495
SW 4612 L	600	Painted finish	26492
SW 4812 V	800	Galvanised	27595
SW 4812 L	800	Painted finish	27592



Solid steel back panels


Sheet steel, painted silver. The 2 halves of the back panel are of different heights, and are secured to the lugs in the uprights with spring clips. The folded edges forming the centre joint are bolted together.

For bay width 995 mm

Item	Height (mm)	Finish	Order no.
RWE 4000	2171	Single height	27600
RWZ 4000		Double height	27610
RWE 4000	2500	Single height	27600
RWZ 4025		Double height	27615

For bay width 1283 mm

RWE 9001	2171	Single height	38160
RWZ 9001		Double height	38170
RWE 9001	2500	Single height	38160
RWZ 9025		Double height	38175



Sectional centre panels

Galvanised sheet steel. For central mounting in double shelving. Assembly between the centre uprights. Cannot be used without intermediate shelves for support.


For bay width 995 mm, 3 parts

Item	Height (mm)	Order no.
MW 4000	2171	27650
MW 4025	2500	27655

For bay width 1283 mm, 4 parts

MW 9002	2171	38180
MW 9025	2500	38185

Shelving components and accessories



Mesh side panels

Steel wire, painted silver, 50 mm mesh. Located in the slots in the base and top shelves and secured with clips.

In the case of 600 mm double units, 2 x 300 mm mesh panels are required, for 800 mm double units, 2 x 400 mm mesh panels and for 1000 mm double units, 2 x 500 mm mesh panels need to be ordered.


Clips are included.

For height 2171 mm

Item	Shelf depth (mm)	Order no.
SWG 4300	300	27700
SWG 4400	400	27710
SWG 4500	500	27720
SWG 4600	600	27730
SWG 4800	800	27690

For height 2500 mm

SWG 4302	300	27705
SWG 4402	400	27715
SWG 4502	500	27725
SWG 4602	600	27735
SWG 4802	800	27695



Mesh back panels


Steel wire, painted silver, 50 mm mesh. Fit into slots in the top shelf and base rail (U-profile) and fasten at the side with clips. Clips and U-profiles included.

For bay width 995 mm

Item	Height (mm)	Order no.
RWG 4000	2171	27500
RWG 4025	2500	27505

For bay width 1283 mm

RWG 9000	2171	37870
RWG 9025	2500	37875



Mesh centre panels

Steel wire, painted silver, for assembly in double shelving. Mesh centre panels are inserted at the top centre into the top shelf. Fixing to the base with four plastic clips and to the centre uprights using clips. Plastic and metal clips are included.

For bay width 995 mm

Item	Height (mm)	Order no.
MWG 4000	2171	27670
MWG 4025	2500	27675

For bay width 1283 mm

MWG 9000	2171	27680
MWG 9025	2500	27685



Accessories

Bin fronts

Galvanised sheet steel, for storing small, loose items. Designed especially for use in conjunction with dividers, centre, back and side panels.


Item	Bay length (mm)	Rail height (mm)	Order no.
VL 4001	995	40	27760
VL 4000	995	85	27750
VL 9001	1283	40	37850
VL 9000	1283	85	37860



Infill pieces (bridging strips)

Galvanised sheet steel. These are used to fill the gap between the uprights.


Item	Shelf depth (mm)	Order no.
BL 4300	300	28100
BL 4400	400	28110
BL 4500	500	28120
BL 4600	600	28130
BL 4800	800	13470



End stops

Galvanised sheet steel. Prevent items such as shelf containers from being pushed off the back of the shelf. Includes 3 clips.

Item	Bay length (mm)	Order no.
DSL 4102	995	27990
DSL 9131	1283	38190




Label holder

Self-adhesive, to identify storage areas.

Item	Length (mm)	Unit	Order no.
EH 4085	85	50	27800
EH 4135	135	50	27810
EH 4490	490	50	27820
EH 4980	980	25	26360
EH 9125	1250	25	26370

Labels

Item	Length (mm)	Unit	Order no.
EHE 4085	85	100	28050
EHE 4135	135	100	28060
EHE 4490	490	100	28070



Accessories and oil collection system

Hazardous goods storage system

Regulation with drip tray and mesh shelves for storing substances hazardous to water conforming to WHG and flammable substances conforming to BetrSichV (Operational Safety Ordinance) and the substances on the positive liquid list conforming to DIN 6601.

The drip tray is securely positioned at the lowest storage level, manufactured according to the following test principles:

- List of building regulations A, part 1, no. 15.22 edition 2002/2 of the German Institute for Construction Engineering
- Ordinance on systems dealing substances hazardous to water and on specialist companies (VawS)
- WHG para. 19h in combination with VawS
- Directive on the requirements for collecting containers made from steel (StawaR)
- DIN 6600, DIN 6601, DIN 6625

Above-ground drip trays made from steel S 350 GD, welded and liquid proof, suitable for substances with a max. density of 1000 kg/m³. A corresponding certificate from RWTÜV has been granted. The observation of the guidelines is documented in the tray nameplate.



i Water-permeable
shelves

on request

Drip trays

Item	Shelf depth (mm)	L x D x H (mm)	Collection vol. (litre)	Order no.
OAW 4400	400	1020/970 x 390 x 120/127	30	97990
OAW 4500	500	1020/970 x 490 x 120/127	38	98150
OAW 4600	600	1020/970 x 590 x 120/127	46	98160
OAW 4800	800	1020/970 x 790 x 120/127	60	97970

Mesh shelves

Item	Shelf depth (mm)	L x D x H (mm)	Load (kg)	Order no.
G 4400	400	993 x 345 x 30	200	98190
G 4500	500	993 x 445 x 30	200	98170
G 4600	600	993 x 545 x 30	200	98180
G 4800	800	993 x 745 x 30	200	97980

Lug covers

Made from plastic. These covers are fitted over the lugs on the uprights and secured with metal clips.

Item	Order no.
RA 4000	28000



Aisle marking

For longitudinal and cross aisle marking, self adhesive clear film with removable labels

Item	Unit	Order no.
GB	10	27850



Floor fixing

To stabilise single bays.
Angle piece, S 6 dowel, 4.5 x 40 mm screw.

Item	Order no.
BBF	27892





Side panel for drawers,
with and without lock

Side panel for drawers


Cover the spaces between the uprights and the drawers. Fitted to the left and right of the drawer front using self-tapping screws.

Supplied as a complete set, each set sufficient for 1 drawer.

Item	For height of side panel (mm)	Finish	Order no.
SBSL-ESCH 4100	100	with 1 lock	29720
SBL-ESCH 4100	100	without lock	28260
SBSL-ESCH 4200	206	with 1 lock	29730
SBL-ESCH 4200	206	without lock	28270

Drawers and accessories

► **Stability when using drawers**
in accordance with the guidelines for storage installations and equipment BGR 234 (formerly ZH 1/428) to ensure stability of drawers without pull-out stops, special stops, e.g. connecting the shelves to one another or using suitable components should be used



Drawers for bay length 995/1283 mm

Sheet steel, painted silver. Drawers can be used in conjunction with two wing door sets.

Item	Height of side panel (mm)	For bay length (mm)	For shelf depth (mm)	Useable depth (mm)	Max. load (kg)	Order no.
ESCH 4410	100	995	400	337	70	26680
ESCH 4510	100	995	500	437	70	27951
ESCH 4610	100	995	600	567	70	27971
ESCH 9510	100	1283	500	437	50	170940
ESCH 9610	100	1283	600	567	50	170950
ESCH 4420	206	995	400	337	70	26690
ESCH 4520	206	995	500	437	70	27961
ESCH 4620	206	995	600	567	70	27981
ESCH 9520	206	1283	500	437	50	170960
ESCH 9620	206	1283	600	567	50	170970


Drawer dividers and cross dividers

Drawer dividers allow the user to fully customise the drawer compartment. They are fitted with plastic mountings, which are inserted in the rows of perforations in the fronts and sides of the drawers. Drawer dividers enable the drawer to be divided into compartment widths of 451, 225 and 112 mm. Variations in compartment depth can be achieved using adjustable cross dividers. Without cross dividers, the full drawer depth is useable, and customised drawer lengths are available.



Four divisions, 1 x STE and 2 x QTE

Item	For drawers	Order no.
SE 4121	ESCH 4410	29742
SE 4122	ESCH 4420	29752
SE 5121	ESCH 4510	29740
SE 5122	ESCH 4520	29750
SE 6121	ESCH 4610	29741
SE 6122	ESCH 4620	29751




Eight divisions, 3 x STE and 4 x QTE

Item	For drawers	Order no.
SE 4141	ESCH 4410	29762
SE 4142	ESCH 4420	29772
SE 5141	ESCH 4510	29760
SE 5142	ESCH 4520	29770
SE 6141	ESCH 4610	29761
SE 6142	ESCH 4620	29771




Sixteen divisions, 7 x STE and 8 x QTE

Item	For drawers	Order no.
SE 4181	ESCH 4410	29782
SE 4182	ESCH 4420	29792
SE 5181	ESCH 4510	29780
SE 5182	ESCH 4520	29790
SE 6181	ESCH 4610	29781
SE 6182	ESCH 4620	29791



Longitudinal dividers


Item	Fascia height (mm)	Order no.
STE 5010	100	29880
STE 5020	206	29881
STE 6010	100	29882
STE 6020	206	29883
QTE/STE	Divider holder	6000349



Cross dividers

Item	Division	Fascia height (mm)	Order no.
QTE 1210	1/2	100	29860
QTE 1220	1/2	206	29861
QTE 1410	1/4	100	29862
QTE 1420	1/4	206	29863
QTE 1810	1/8	100	29864
QTE 1820	1/8	206	29865

Drawer dividers and wing door sets




Combination A

Only for drawer ESCH 4510.

12 longitudinal dividers W 46,5 mm and 30 transverse dividers; 4 longitudinal dividers W 93 mm and 10 transverse dividers.

Item	Shelf D (mm)	Division H (mm)	Order no.
SUW 5003 A	500	36	35220
SUW 5006 A	500	66	35221



Combination B

Only for drawer ESCH 4510.

6 longitudinal dividers W 46,5 mm und 24 cross dividers; 3 longitudinal dividers W 93 mm and 12 cross dividers; 2 longitudinal dividers W 186 mm and 4 cross dividers.

Item	Shelf D (mm)	Division H (mm)	Order no.
SUW 5003 B	500	36	35230
SUW 5006 B	500	66	35231



Combination C

Only for drawer ESCH 4510.

10 longitudinal dividers W 93 mm and 20 transverse dividers.

Item	Shelf D (mm)	Division H (mm)	Order no.
SUW 5003 C	500	36	35240
SUW 5006 C	500	66	35241

Complete sets of insert containers

Only for drawer ESCH 4510.

10 x EK 1, 20 x EK 2, 10 x EK 3.

Item	Order no.
SET 2501	12914




Insert containers

Polystyrene, blue, with label facility on the grip.

Pieces per unit: EK 1: 58 pieces; EK 2: 80 pieces; EK 3: 120 pieces; EK 111-N: 48 pieces

Item	L x W x H (mm)	Order no.
EK 1	180 x 96 x 60	1134
EK 2	90 x 96 x 60	1144
EK 3	90 x 48 x 60	1154
EK 111-N	137 x 87 x 96	4364




Two wing door sets

For retrofitting into open shelf bays with bay lengths of 995 and 1283 mm. Height 2111 mm.

For additional installation, side and back panels must be ordered separately.

Item	For bay length (mm)	Order no.
FTR 4001	995	27900
FTR 9001	1283	17690



Two wing door sets for multi-tier installations

For retrofitting into open shelf bays with bay lengths of 995 and 1283 mm. Height 1845 mm.

For technical reasons, doors used above and below the mezzanine floor in multi-tier installations must be shorter. In addition to this, a shelf of corresponding depth must also be used.

Item	For bay length (mm)	Order no.
FTR-B 4001	995	27910
FTR-B 9001	1283	17700

