


Overview for containers with Euro dimensions

Efficient supply, storage and distribution with the extensive range of SSI SCHAEFER Euro containers. All containers are sized to fit Euro pallets, whether as transport containers

or for semi-automatic or fully-automatic storage systems. SSI SCHAEFER containers with Euro dimensions are used throughout all sectors.


EF series

MF series

LTB series

Applications	Euro-Fix containers Container for manual and automatic handling. Over 150 solid and perforated standard models for external and internal goods transport in all sectors as re-usable packaging		Multi-functional containers The perfect container for fully-automatic storage systems and manufacturing, equally suited as re-usable packaging for external transport		Storage and transport containers All in one. For constant flow of material work pieces within the range of transport and storage New: with divider system	
Basic dim. (mm)	200 x 150, 400 x 300, 600 x 400,	300 x 200 400 x 400 800 x 600	200 x 150 300 x 200 400 x 300 600 x 400		400 x 300 600 x 400 800 x 600	
Standard material	Polypropylene		Polypropylene		Polypropylene	
Max. content load*	20 kg, 50 kg, 70 kg		35 kg, 50 kg, 70 kg		50 kg, 70 kg	
Max. stacking load*	600 kg		600 kg		600 kg	
Recyclable	✓		✓		✓	
Conductive version	✓		✓		on request	
Stackable	✓		✓		✓	
Manual handling	✓		✓		✓	
Codeable	✓		✓		✓	
Conveyors	✓		✓		✓	
AKL lifting techno.	—		✓		✓	
AKL pulling techno.	✓		✓		✓	
AKL gripping techno.	✓		✓		✓	

* Approximate value with evenly distributed load dependant on selected base and with consideration of the targeted application


A26

A36

A38


from pages

EF series – container for manual and automatic handling


EF Euro-Fix containers

Efficient supply, storage and distribution are guaranteed by using the extensive EF series by SSI SCHAEFER. They come in 25 different sizes and 150 types. Sturdy stacking rims ensure that the containers can be securely stacked with a stacking load of up to 600 kg, independent of the area of use.

EF containers are also available in a conductive version and in special types.



Standard EF containers




Item	Interior dim. when stacked L x W x H (mm)	Capacity (litre)	Base	Walls	Order no.	Order no.	Order no.
EF 2120 PP	152 x 104 x 102	1,9					—
EF 2120 PPL					—	—	22038
EF 3120 PP	252 x 152 x 102	4,2			22021	22025	—
EF 3120 PPL					—	—	22028
EF 3170 PP	252 x 152 x 147	6,5			22261	22265	—
EF 3170 PPL					—	—	22268
EF 3220 PP	252 x 152 x 197	9,0			22931	22935	—
EF 3220 PPL					—	—	22938
EF 4040 PP	357 x 257 x 27	3,5			15501	15505	—
EF 4040 PPL					—	—	15508
EF 4070 PP	357 x 257 x 60	6,5			21741	21745	—
EF 4070 PPL					—	—	21748
EF 4080 PP	357 x 257 x 67	7,3			15511	15515	—
EF 4080 PPL					—	—	15518
EF 4120 PP	354 x 254 x 105	10,8			14891	14895	—
EF 4120 PPL					—	—	14898
EF 4121 PP					16151	16155	—
EF 4123 PP	354 x 254 x 102	10,8			14901	14905	—
EF 4130 PP	356 x 256 x 116	11,9			15351	15355	—
EF 4130 PPL					—	—	15358
EF 4131 PP					15361	15365	—

Closed

Perforated

Reinforced



- **Polypropylene**
resistant to most oils, acids and alkalis, noise absorbent on conveyors, withstands temperatures between -20° and +100° Celsius
- **Robust and stable design**
- **Smooth internal walls**
for easy cleaning
- **Sturdy stacking rims**
for secure stacking of up to 600 kg stacking load
- **Optimal ribbing**
for secure storage and transport
- **Compatible**
with all Euro containers
- **Flexibility**
in 25 sizes and over 150 types

► Conductive polypropylene (PPL)

Specific volume resistance	Normal PE/PP 10 ¹⁸ Ohm x cm <	PPL 10 ³ Ohm x cm
Specific surface resistance	10 ¹⁴ Ohm	10 ⁴ Ohm

PPL BLACK



EF series with reinforced base

Some containers are available for extremely heavy loads with reinforced and ribbed bases: max. load 50 kg.

Strong rugged containers are a must for heavy loads within an automated small parts operation.





Not always in stock. Please request.

EF series – standard



Smooth standard base
(max. load 20 kg)

Reinforced base VB-S5 type
with rounded corners particularly
quiet for running on conveyors
(max. load 50 kg)



Standard EF containers

Item	Interior dim. when stacked L x W x H (mm)	Capacity (litre)	Base	Walls	Order no.	Order no.
EF 4140 PP	353 x 253 x 116	12,7			22271 22275	—
EF 4140 PPL					—	22278
EF 4141 PP					22331 22335	—
EF 4143 PP	353 x 253 x 114	12,4			22341 22345	—
EF 4170 PP	353 x 253 x 146	15,5			22161 22165	—
EF 4170 PPL					—	22168
EF 4171 PP					22171 22175	—
EF 4173 PP	353 x 253 x 144	15,2			22181 22185	—
EF 4170 VB PP	355 x 255 x 127	13,8	VB		23161 23165	—
EF 4220 PP	353 x 253 x 196	20,2			14951 14955	—
EF 4220 PPL					—	14958
EF 4221 PP					14961 14965	—
EF 4223 PP	353 x 253 x 194	19,9			14971 14975	—
EF 4320 PP	359 x 259 x 306	29,5			14741 14745	—
EF 4320 PPL					—	14748
EFR 4070 PP	Top frame for raising				21751 21755	—
EFR 4070 PPL	The interior height by 63 mm				—	21758
EF 4440 PP	352 x 352 x 396	53,9			22351 22355	—
EF 4441 PP					22361 22365	—
EF 4443 PP	352 x 352 x 394	53,5			22371 22375	—

Closed
 Perforated
 Reinforced



Closed hand grip **



Open hand grip **



Recessed hand grip **



Closed hand grip with beveled
hand grip **

** Not always in stock. Please request.



RED

GREY

PPL BLACK

Additional colours
on request

EF series – standard (continued)

Standard EF containers



Item	Interior dim. when stacked L x W x H (mm)	Capacity (litre)	Base	Walls	Order no.	Order no.	Order no.
EF 6070 PP	555 x 355 x 59	14,3			22041	22045	—
EF 6070 PPL					—	—	22048
EF 6120 PP	552 x 352 x 96	23,3			16111	16115	—
EF 6120 PPL					—	—	16118
EF 6121 PP					16121	16125	—
EF 6123 PP		22,7			16141	16145	—
EF 6120 VB PP	555 x 355 x 77	19,6			23171	23175	—
EF 6120 VB PPL					—	—	23178
EF 6140 PP	552 x 352 x 116	27,4			22231	22235	—
EF 6140 PPL					—	—	22238
EF 6141 PP					22241	22245	—
EF 6143 PP	552 x 352 x 113	26,8			22251	22255	—
EF 6140 VB PP	555 x 355 x 97	23,7			23181	23185	—
EF 6140 VB PPL					—	—	23188
EF 6150 PP	552 x 352 x 127	29,4			21951	21955	—
EF 6150 PPL					—	—	21958
EF 6151 PP					21961	21965	—
EF 6153 PP	552 x 352 x 124	28,8			21971	21975	—
EF 6150 VB PP	555 x 355 x 108	26,0			21891	21895	—
EF 6150 VB PPL					—	—	21898
EF 6170 PP	559 x 359 x 154	34,2			15371	15375	—
EF 6170 PPL					—	—	15378
EF 6180 PP	552 x 352 x 156	35,4			15661	15665	—
EF 6180 PPL					—	—	15668
EF 6181 PP					22051	22055	—
EF 6183 PP	552 x 352 x 153	34,8			22061	22065	—
EF 6180 VB PP	555 x 355 x 137	31,8			21981	21985	—
EF 6180 VB PPL					—	—	21988
EF 6220 PP	551 x 351 x 196	43,5			14851	14855	—
EF 6220 PPL					—	—	14858
EF 6221 PP					16091	16095	—
EF 6223 PP	551 x 351 x 193	42,9			14861	14865	—
EF 6220 VB PP	555 x 355 x 177	39,9			21861	21865	—
EF 6220 VB PPL					—	—	21868
EF 6240 PP	552 x 352 x 216	47,5			22091	22095	—
EF 6240 PPL					—	—	22098
EF 6241 PP					22141	22145	—
EF 6243 PP	552 x 352 x 213	46,9			22151	22155	—
EF 6240 VB PP	555 x 355 x 197	43,9			22911	22915	—
EF 6280 PP	551 x 351 x 260	56,6			21921	21925	—
EF 6280 PPL					—	—	21928
EF 6281 PP					21931	21935	—
EF 6283 PP	551 x 351 x 258	56,0			21941	21945	—
EF 6280 VB PP	551 x 351 x 258	53,0			21881	21885	—
EF 6280 VB PPL					—	—	21888

Closed

Perforated

Reinforced



EF series – standard




Standard EF containers

Item	Interior dim. when stacked L x W x H (mm)	Capacity (litre)	Base	Walls	Order no.  	Order no. 
EF 6320 PP	552 x 352 x 295	63,7			14831 14835	—
EF 6320 PPL					— —	14838
EF 6321 PP					16071 16075	—
EF 6323 PP	552 x 352 x 293	63,1			14841 14845	—
EF 6320 VB PP	555 x 355 x 277	60,2			21871 21875	—
EF 6320 VB PPL					— —	21878
EF 6420 PP	551 x 351 x 395	83,8			14921 14925	—
EF 6420 PPL					— —	14928
EF 6421 PP					14931 14935	—
EF 6423 PP	551 x 351 x 393	83,2			14941 14945	—
EF 6420 VB PP	555 x 355 x 377	80,4			21991 21995	—
EF 6420 VB PPL					— —	21998
EFR 6070 PP	Top frame for raising				22071 22075	—
EFR 6070 PPL	The interior height by 63 mm				— —	22078
EF 8320 PP	754 x 554 x 286	122,0			14881 14885	—
EF 8320 PPL					— —	14888
EF 8321 PP					22131 22135	—
EF 8320 SB PP	754 x 554 x 279	120,0			15521 15525	—

 Closed

 Perforated

 Reinforced




EF series – special

Special Euro-Fix containers

Opening in sides or ends in solid and mesh-type Euro-Fix containers, as well as combinations of various openings are available as Euro-Fix types. Because these are special types, they are not always available ex-stock (please request).


Special EF containers with the same advantages as the standard EF containers, but with the following additional features:

- ▶ **Semi-open, 3/4 open or max. opening of front or side walls**
- ▶ **Front or side walls** completely open to base
- ▶ **Perforated front walls**
- ▶ **Open front optional for flap**
- ▶ **Recessed or cup-shaped bevelled hand grip**
- ▶ **Reduced indentation**
- ▶ **Special label holder**
- ▶ **Base dimensions:**
400 x 300 mm / 600 x 400 mm /
800 x 600 mm



Special EF containers – Base dimensions of 400 x 300 mm

Item	Finish	Interior dim. when stacked L x W x H (mm)	Capacity (litre)	Base	Walls	Order no.
EF 4120 G1	Front sides punched	354 x 254 x 105	10,8			92201 92205
EF 4120 G2	One front side with label	354 x 254 x 105	10,8			92211 92215
EF 4121 G2	holder, opposite side with	354 x 254 x 105	10,8			95611 95615
EF 4123 G2	recessed hand grip	354 x 254 x 102	10,8			95631 95635
EF 4140 L1	One front side open at the top	353 x 253 x 116	12,7			23191 23195
EF 4220 F1	One front side open at the top	353 x 253 x 196	20,2			92251 92255
EF 4221 F1	semi-open, with bevelled	353 x 253 x 196	20,2			95641 95645
EF 4223 F1	hand grip	353 x 253 x 194	19,9			95661 95665
EF 4220 F2	Both front sides with	353 x 253 x 196	20,2			92261 92265
EF 4221 F2	bevelled hand grip	353 x 253 x 196	20,2			95651 95655
EF 4223 F2		353 x 253 x 194	19,9			95671 95675
EF 4220 F3	One side open at the top	353 x 253 x 196	20,2			92961 92965
	open, with label holder					
EF 4320 H1	One front side 3/4 open,	359 x 259 x 306	29,5			95691 95695
	with option for flap					



Closed

Perforated









EF series – special




Special EF-containers – Base dimensions 600 x 400 mm


Item	Finish	Interior dim. when stacked L x W x H (mm)	Capacity (litre)	Base	Walls	Order no.
						 
EF 6120 E1	Reduced indentation,	552 x 352 x 106	23,3			92291 92295
EF 6121 E1	10 mm more interior height	552 x 352 x 106	23,3			92301 92305
EF 6123 E1	when stacked	552 x 352 x 103	22,7			92311 92315
EF 6240 C2		552 x 352 x 226	47,5			92521 92525
EF 6241 C2		552 x 352 x 226	47,5			92541 92545
EF 6243 C2		552 x 352 x 213	46,9			92561 92565
EF 6240 C1	One front side	552 x 352 x 216	47,5			92511 92515
EF 6241 C1	maximum opening	552 x 352 x 216	47,5			92531 92535
EF 6243 C1		552 x 352 x 213	46,9			92551 92555
EF 6420 A4		551 x 351 x 395	83,8			92831 92835
EF 6421 A4		551 x 351 x 395	83,8			92881 92885
EF 6423 A4		551 x 351 x 393	83,2			92931 92935
EF 6320 B3	One front side is fully open	552 x 352 x 295	63,7			92621 92625
EF 6321 B3		552 x 352 x 295	63,7			92681 92685
EF 6323 B3		552 x 352 x 293	63,1			92741 92745
EF 6420 A2		551 x 351 x 395	83,8			92811 92815
EF 6421 A2		551 x 351 x 395	83,8			92861 92865
EF 6423 A2		551 x 351 x 393	83,2			92911 92915
EF 6420 A10		551 x 351 x 395	83,8			95701 95705
EF 6421 A10		551 x 351 x 395	83,8			95731 95735
EF 6423 A10		551 x 351 x 393	83,2			95761 95765
EF 6320 B6	One side top open	552 x 352 x 295	63,7			92651 92655
EF 6321 B6		552 x 352 x 295	63,7			92711 92715
EF 6323 B6		552 x 352 x 293	63,1			92771 92775
EF 6320 B8		552 x 352 x 295	63,7			95791 95795
EF 6321 B8		552 x 352 x 295	63,7			95811 95815
EF 6323 B8		552 x 352 x 293	63,1			95831 95835
EF 6420 A3		551 x 351 x 395	83,8			92821 92825
EF 6421 A3		551 x 351 x 395	83,8			92871 92875
EF 6423 A3		551 x 351 x 393	83,2			92921 92925
EF 6220 D5	One front side 2/3 open	551 x 351 x 196	43,5			95851 95855
EF 6221 D5		551 x 351 x 193	43,5			95861 95865
EF 6223 D5		551 x 351 x 193	42,9			95891 95895
EF 6320 B2		552 x 352 x 295	63,7			92611 92615
EF 6321 B2		552 x 352 x 295	63,7			92671 92675
EF 6323 B2		552 x 352 x 293	63,1			92731 92735
EF 6320 B1	One front side semi-open	552 x 352 x 295	63,7			92601 92605
EF 6321 B1		552 x 352 x 295	63,7			92661 92665
EF 6323 B1		552 x 352 x 293	63,1			92721 92725
EF 6420 A1		551 x 351 x 395	83,8			92801 92805
EF 6421 A1		551 x 351 x 395	83,8			92851 92855
EF 6423 A1		551 x 351 x 393	83,2			92901 92905
EF 6220 D1	One side semi-open	551 x 351 x 196	43,5			92411 92415
EF 6221 D1	at the top	551 x 351 x 196	43,5			95871 95875
EF 6223 D1		551 x 351 x 193	42,9			95901 95905
EF 6320 B5	One front side semi-open,	552 x 352 x 295	63,7			92641 92645
EF 6321 B5	with steel panel slide,	552 x 352 x 295	63,7			92701 92705
EF 6323 B5	locks in the closed status	552 x 352 x 293	63,1			92761 92765
EF 6320 B7	One front side with	552 x 352 x 295	63,7			95801 95805
EF 6321 B7	special label holder	552 x 352 x 295	63,7			95821 95825
EF 6323 B7		552 x 352 x 293	63,1			95841 95845

 Closed

 Perforated




EF series – special (continued)



Special EF containers – Base dimensions of 600 x 400 and 800 x 600 mm

Item	Finish	Interior dim. when stacked L x W x H (mm)	Capacity (litre)	Base	Walls	Order no.	
EF 6220 D8	One front panel completely open to base	551 x 351 x 195	43,5			92971	92975
EF 6320 B9	One front panel open across the entire height	552 x 352 x 295	63,6			92981	92985
EF 6320 B4	One side completely open to base	552 x 352 x 295	63,7			92631	92635
EF 6321 B4		552 x 352 x 295	63,7			92691	92695
EF 6323 B4		552 x 352 x 293	63,1			92751	92755
EF 6420 A5	One side semi-open	551 x 351 x 395	83,8			92841	92845
EF 6421 A5		551 x 351 x 395	83,8			92891	92895
EF 6423 A5		551 x 351 x 393	83,2			92941	92945
EF 6420 A9	One side semi-open	551 x 351 x 395	83,8			95711	95715
EF 6421 A9	at the top, with	551 x 351 x 395	83,8			95741	95745
EF 6423 A9	special label holder	551 x 351 x 393	83,2			95771	95775
EF 6420 A7	One side maximum opening	551 x 351 x 395	83,8			95721	95725
EF 6421 A7		551 x 351 x 395	83,8			95751	95755
EF 6423 A7		551 x 351 x 393	83,2			95781	95785
EF 8320 J1	One front side semi-open,	754 x 554 x 306	130,0			95921	95925
EF 8321 J1	with open hand grip	754 x 554 x 306	130,0			95931	95935

Closed
 Perforated



Special EF containers with picking opening and special accessories

Euro-Fix containers EF 6220 D11

With a semi-open front.
Material: Polypropylene. Colour: blue.
External dimensions: L 600 x W 400 x H 220 mm.
Dimensions of front opening: W 278 x H 110 mm.

Dust flap SK 64102

Made from transparent plastic.

Item	Order no.
EF 6220 D11	93904
SK 64102	93930

Euro-Fix containers EF 6320 B11

With semi-open front.
Material: Polypropylene. Colour: blue.
External dimensions: L 600 x W 400 x H 320 mm.
Dimensions of front opening: W 278 x H 160 mm.

Dust flap SK 64152

Made from transparent plastic.

Item	Order no.
EF 6320 B11	93894
SK 64152	93920

Euro-Fix container EF 6420 A14

With semi-open front.
Material: Polypropylene. Colour: blue.
External dimensions: L 600 x W 400 x H 420 mm.
Dimensions of front opening: W 278 x H 210 mm.

Dust flap SK 64202

Made from transparent plastic.

Item	Order no.
EF 6420 A14	93884
SK 64202	93910



Hand grip insert

Made from PP, used to fill the hand grip. When e.g. the container is to be filled to the rim with loose material. The grip holes remain accessible for handling.
Unit: 50 pieces

Item	Order no.
GV-EF	22081 22085



Index cards

For EF 6420, EF 6320, EF 6220 and EF 6180.
Dimensions: L 187 x W 84 mm.

Unit: 100 pieces

Item	Order no.
EHE 188	91870



Label holder

Fits across ribs of all Euro-Fix containers.

Unit: 50 pieces

Item	Order no.
EF-E	16010



Link clamps

Cruciform steel clamps. Prevents the EF containers from slipping on Euro pallets.

Unit: 50 pieces

Item	Order no.
EFK	22120

Accessories for standard and special EF containers



Lid

Suitable for all EF containers. Available in either red or grey. Slots on longitudinal sides of lid render containers secure and sealed. Material: Polypropylene.

Item	For base dim. (mm)	Order no.	Item	Order no.
EF-D 21	200 x 150	21791 21795	EF-D 21 PPL	21798
EF-D 32	300 x 200	22281 22285	EF-D 32 PPL	22288
EF-D 43	400 x 300	15031 15035	EF-D 43 PPL	15038
EF-D 44	400 x 400	22291 22295	EF-D 44 PPL	22298
EF-D 64	600 x 400	15041 15045	EF-D 64 PPL	15048
FB-D 604	600 x 400, slip lid	15051 15055	FB-D 604 PPL	15058

Top cover

Used to cover stacked container on a Euro pallet. Equipped for banding through guiding grooves at the top cover front.

Item	Dim. L x W (mm)	Order no.
ADH 86	800 x 600	— 93628
A 1208	1200 x 800	39704 —

Lids with moulded hooks or moulded hinges

The lid with moulded hooks remains removable and is nevertheless secured in turning and opening movements. Lid clips on request.

The lid with moulded hinges is being supplied with 2 reinforcing rings for the hinge bar and 2 brackets for the lid fixings.

Item	For base dim. (mm)	Order no.	Item	Order no.
With hook (clips on request)				
EF-D 21-H	200 x 150	39911 39915	EF-D 21-H PPL	39918
EF-D 32-H	300 x 200	39921 39925	EF-D 32-H PPL	39928
EF-D 43-H	400 x 300	39931 39935	EF-D 43-H PPL	39938
EF-D 64-H	600 x 400	39941 39945	EF-D 64-H PPL	39948
With hinges				
EF-D 21-S	200 x 150	21001 21005	EF-D 21-S PPL	21008
EF-D 21-SF	Factory-fitted	21011 21015	EF-D 21-SF PPL	21018
EF-D 32-S	300 x 200	21021 21025	EF-D 32-S PPL	21028
EF-D 32-SF	Factory-fitted	21031 21035	EF-D 32-SF PPL	21038
EF-D 43-S	400 x 300	21041 21045	EF-D 43-S PPL	21048
EF-D 43-SF	Factory-fitted	21051 21055	EF-D 43-SF PPL	21058
EF-D 64-S	600 x 400	21081 21085	EF-D 64-S PPL	21088
EF-D 64-SF	Factory-fitted	21091 21095	EF-D 64-SF PPL	21098



EF-D ... H

Lid clips



EF-D ... SF

Roll-Fix

LTS tray with 4 swivel castors (Ø 80 mm).

Closed polypropylene platform, with 15 mm stacking rim.

Suitable for Euro size containers.

Max. load: 200 kg.



Item	L x W x H (mm)	Finish	Order no.
RO 340	400 x 300 x 125	with plastic castors	23091 23095 —
RO 460	594 x 396 x 150	with plastic castors	22201 22205 —
RO 461	594 x 396 x 150	with solid rubber castors	22211 22215 —
RO 463 PPL	594 x 396 x 150	with conductive castors	— — 22190



Plastic castor

Solid rubber castor

Accessories for standard and special EF containers



TFB-S 12
Capacity
approx. 3 l

TFB-S 4
Capacity
approx. 11.5 l

TFB-S 3
Capacity
approx. 16 l

TFB-S 2
Capacity
approx. 24 l

tablo'fix

This cost-effective mobile storage system is simple and modular. It is available in four different drawer heights for all kinds of applications.

Drawers slide in and out easily even when filled and special stops prevent the drawers from sliding out.

Item	Finish	Base dim. L x W x H (mm)	Interior dim. L x W x H (mm)	Load (kg)	Material	Unit	Order no.			
EF-D 64	Lid with stacking rim	600 x 400			Polypropylene		15041	15045	—	
EF-D 64 PPL					PPL		—	—	15048	
TFB-S 12	Drawer, up to 12 drawers per container	485 x 315 x 122	480 x 310	6	Polystyrene	50	—	21805	—	
TFB-S 12 PPL					PSL		—	—	21808	
TFB-S 4	Drawer, up to 4 drawers per container	485 x 315 x 180	475 x 305	8	Polystyrene	20	—	21815	—	
TFB-S 4 PPL					PSL		—	—	21818	
TFB-S 3	Drawer, up to 3 drawers per container	485 x 315 x 105	470 x 300	8	Polystyrene	20	—	21825	—	
TFB-S 3 PPL					PSL		—	—	21828	
TFB-S 2	Drawer, up to 2 drawers per container	485 x 315 x 165	465 x 305	12	Polystyrene	10	—	21835	—	
TFB-S 2 PPL					PSL		—	—	21838	
TFH-S 45	Drawer holder, 12 insert grooves and integrated lock					1	—	21845	—	
TFH-S 45 PPL	(1 Set: 1 left, 1 right side section)						—	—	21848	
EF 6420 A7	EF containers, open on max. one long side	600 x 400 x 420	551 x 351 x 395		Polypropylene	1	95721	95725	—	
EF 6420 A7 PPL					PPL		—	—	95728	
EF 6421 A7	EF container, 3 mesh walls	600 x 400 x 420	551 x 351 x 395		Polypropylene	1	95751	95755	—	
EF 6421 A7 PPL					PPL		—	—	95758	

Dolly

Used to facilitate the movement of EF containers. Suitable for transport by fork lift truck. Max. stacking height on the dolly is 1.80 m. 2 swivel and 2 fixed castors (Ø 125 mm). Height from floor to base edge: 115 mm. Max. load 450 kg. Securely interstackable. Stack height 130 mm. Colour: black.

Item	W x H x D (mm)	Order no.
RPL 86	800 x 600 x 200	93608



Lifting trolley

Steel frame, painted blue-grey. Max. load 200 kg. Swivel/fixed castors-Ø 125/200 mm. For the transport of all EF containers with the base dimension 600 x 400 mm. Conductive model on request.

Item	Order no.
SHE Lifting trolley	16170

